SIEMENS

Data sheet 3UF1900-1KA00



Bus termination module for SINEC L2-RS 485 and PROFIBUS RS 485 for bus connection after the last device at the bus line Supply voltage: 24 V AC 110/115/120/220/230/240 V AC 380/400/415 V AC

General technical data	
product brand name	SIMOCODE
product designation	Bus termination module
design of the product	with dedicated power supply for bus termination

Certificates/ approvals

General Product Approval	EMV	other

Confirmation


Environment

Environmental Confirmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF1900-1KA00
Cax online generator
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF1900-1KA00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3UF1900-1KA00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF1900-1KA00&lang=en

Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens



© Copyright Siemens