SIEMENS

Data sheet 8WH9130-0PA00



Shield terminal, for shield attachment on busbars, diameter 20-35 mm

Model	
product brand name	SENTRON
product designation	Shield connection clamp
design of the product	Shield connection clamp
terminal contact spacing	40 mm
Connections	
connectable cable diameter	
● minimum	20 mm
● maximum	35 mm
type of electrical connection	screw terminal
Mechanical Design	
height	106.5 mm
fastening method	busbar
Net Weight	64 g

Approvals Certificates

Environment	General Product Approval		other	
Environmental Confirmations	EAC	Confirmation	CE EG-Konf.	Confirmation	产品合格 QC PASS

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9130-0PA00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8WH9130-0PA00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9130-0PA00
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/8WH9130-0PA00

Subject to change without notice
© Copyright Siemens

last modified:	10/18/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens