SIEMENS

Data sheet 3LD9340-6C



auxiliary switch, floor mounting, 1 NO + 1 NC left and/or right attachable, accessories for 3LD3 switch disconnectors

Model	
product brand name	SENTRON
product designation	auxiliary switch
design of the product	accessories for 3LD3 switch disconnectors
operational current	
● at AC-15 at 110 V rated value	6 A
● at AC-15 at 230 V rated value	3 A
● at AC-15 at 500 V rated value	1.4 A
● at DC-13 at 24 V rated value	4 A
suitability for use	for 3LD3 floor mounting, distribution board mounting, and basic switches without knob-operated mechanism
special product feature	NO: lagging during switching ON, leading during switching OFF the 3LD switch. NC: leading during switching ON, lagging during switching OFF the 3LD switch
Accessories	
accessories	auxiliary switch, 1 NO + 1 NC, can be mounted on the left and/or right
tightening torque with screw-type terminals	
● minimum	0.8 N·m
● maximum	1.2 N·m
type of connectable conductor cross-sections for auxiliary contacts	
● **solid**	2x (0.75-2.5 mm²), 1x 4 mm²
● **finely stranded with core end processing**	2x (0.75-2.5 mm²), 1x 4 mm²
● **stranded**	2x (0.75-2.5 mm²), 1x 4 mm²
Mechanical Design	
Net Weight	28 g
Approvals Certificates	


Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations				

General Product Approval		other	
Confirmation		Confirmation	

Subject to change without notice
© Copyright Siemens

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-6C
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-6C
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-6C
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/3LD9340-6C



last modified: 4/12/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens