SIEMENS

Data sheet 3RW4900-0PB10



Sealing cover for SIRIUS soft starter 3RW40 S0...S3

product brand name	SIRIUS
product category	Accessories
product designation	Sealing cover
product type designation	3RW49
General technical data	
Substance Prohibitance (day/month/year)	07/01/2006
Net Weight	10 g
Installation/ mounting/ dimensions	
height	95.35 mm
width	43.5 mm
Electrical Safety	
protection class IP on the front according to IEC 60529	IP20
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front

Approvals Certificates

Environment	General Product Approval			EMV	
Environmental Confirmations	EAC	CE EG-Konf.	UKCA	KC	RCM

Test Certificates		Maritime application			other
Special Test Certificate	Type Test Certificates/Test Report	DNV	LRS	PRS	Confirmation

other

产品合格 QC PASS

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Subject to change without notice
© Copyright Siemens

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW4900-0PB10
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB10
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW4900-0PB10&lang=en
Cax online generator
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW4900-0PB10
Kennlinien
https://curves.simaris.siemens.com/curves/3RW4900-0PB10
Characteristic: Tripping characteristics, I²t, Let-through current
https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB10/char
Characteristic: Installation altitude
https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search
Simulation Tool for Soft Starters (STS)
https://support.industry.siemens.com/cs/ww/en/view/101494917

---

last modified: 10/17/2026

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens