SIEMENS

Data sheet 3RX9512-0AA00



PSN130S 4 A 120 V/230 V AC IP20 Power supply unit 30 V, for AS-i without AS-i data decoupling IN: 120 V / 230 V AC OUT: 30 V DC, 4 A, IP20 with integrated Overload detection with signaling contact

Efficiency/ heat loss		
power loss [W] maximum	W	17
Safety related data		
protection class IP		IP20
Ambient conditions		
ambient temperature		
● during operation	°C	-20 ... +70
● during storage	°C	-40 ... +85
fastening method		fixing on standard mounting rail DIN EN 59 022-35 x 7.5 mm snap-on
width	mm	50
height	mm	125
depth	mm	125

Certificates/ approvals

Environment	General Product Approval				
EPD	Environmental Con-firmations	CSA	EAC	CE EG-Konf.	UK CA

EMV	Maritime application	other	
RCM	DNV	Confirmation	产品合格 QC PASS


Approvals Certificates	
Environmental Product Declaration	
● global warming potential [CO2 eq] / during manufacturing	20.7 kg
● global warming potential [CO2 eq] / during sales	0.127 kg
● global warming potential [CO2 eq] / during operation	763 kg
● global warming potential [CO2 eq] / after end of life	0.565 kg
● global warming potential [CO2 eq] / total	785 kg


Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Subject to change without notice
© Copyright Siemens

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RX9512-0AA00
Cax online generator
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RX9512-0AA00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RX9512-0AA00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RX9512-0AA00&lang=en





Subject to change without notice
© Copyright Siemens



last modified: 4/4/2026

Subject to change without notice
© Copyright Siemens