SIEMENS

Data sheet 3VA9987-0TD10



display DSP800 accessory for: 1 to 8 units 3VA2 breaker

Model	
product brand name	SENTRON
product designation	DSP800 display
accessories	Communication and measurement function
General technical data	
suitability for operation	Installation in fixed switchboard inside enclosed rooms
mounting position	vertical
degree of pollution	3
overvoltage category	I
operating resource protection class	III (according to IEC 61558)
protection class IP	IP65 (front) according to IEC60529
Voltage	
Rated control supply voltage Us with DC / maximal	24 V
Current	
number of interfaces / according to Fast Ethernet	1
type of electrical connection / of the fast Ethernet interface	RJ45
design of cable / connectable / twisted pair	Yes
protocol / at the Ethernet interface / is supported	Modbus TCP
transfer rate / 2 / for Ethernet	100 Mbit/s
number of active connections / at the Ethernet interface	8
product function	
● at the Ethernet interface / auto-MDI(X)	Yes
● at the Ethernet interface / serial gateway	Yes
power loss [V·A] / rated value	2.2 V·A
control supply voltage / at DC / rated value / maximum	24 V
consumed current / maximum	0.09 A
Mechanical Design	
height	96 mm
width	96 mm
depth	56 mm
Net Weight	273 g
Connections	
type of electrical connection	removable/pluggable
type of electrical connection / at the inputs for supply voltage	screw-type terminals
connectable conductor cross-section / solid	
● minimum	0.5 mm²
● maximum	2.5 mm²
connectable conductor cross-section / finely stranded /	

Subject to change without notice
© Copyright Siemens

with core end processing	
• minimum	0.5 mm²
• maximum	1.5 mm²
type of connectable conductor cross-sections / at the digital inputs / for AWG cables / solid	2x 20 to 14

Environmental conditions

ambient temperature / during operation	
• minimum	-10 °C
• maximum	55 °C
ambient temperature / during transport	
• minimum	-25 °C
• maximum	70 °C
ambient temperature / during storage	
• minimum	-25 °C
• maximum	70 °C

Certificates

General Product Approval

Miscellaneous | TUEV | Confirmation

EMV	Test Certificates	Maritime application		other	
RCM	Type Test Certific-ates/Test Report	DNV	LRS	Miscellaneous	Confirmation


Environment


Environmental Con-firmations | Environmental Con-firmations | EPD

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9987-0TD10
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9987-0TD10
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9987-0TD10
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens





last modified: 7/19/2026

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens