SIEMENS

Data sheet 8GK9505-4KK20



ALPHA 125, 630 Universal, door IP43/IP55, Transparent (simple version), RAL 7035, H=600, W=600

Model	
product brand name	ALPHA
product designation	Door
design of the product	Closed
design of the surface	Powder-coated
design of the product EMC version	No
Protection class	
protection class IP	IP43 / IP55
operating resource protection class	safety class 1
Appearance	
color	Traffic white
Product details	
product component	
● ventilation	No
● viewing door	No
● door for disconnector lock	No
Mechanical Design	
height	600 mm
width	600 mm
opening direction of the door	right / left
Net Weight	5.629 kg
material	steel

Approvals Certificates

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EAC	Confirmation	CE EG-Konf.	UKCA

Test Certificates	other		
Special Test Certificate	Confirmation	Miscellaneous	产品合格 QC PASS

Further information

Information on the packaging

Subject to change without notice
© Copyright Siemens

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9505-4KK20


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8GK9505-4KK20

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9505-4KK20

CAx-Online-Generator
https://www.siemens.com/cax

Tender specifications
https://www.siemens.com/specifications

Kennlinien
https://curves.simaris.siemens.com/curves/8GK9505-4KK20



last modified: 5/24/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens