SIEMENS

Data sheet 8UD1141-2AF21



Door-coupling rotary operating mechanism standard with tolerance compensation Size 100 x 100mm Shaft 8 x 8, 300mm,Test 0-I, Complete unit Handle size 100 mm Accessory for 3KD size 3, 3KF size 2

Net Weight	1.092 kg

Approvals Certificates


Environment	General Product Approval				
Environmental Confirmations				Confirmation	


General Product Approval	Test Certificates	Maritime application	other		
	Type Test Certificates/Test Report		Confirmation		Miscellaneous

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1141-2AF21
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8UD1141-2AF21
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1141-2AF21
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/8UD1141-2AF21

Subject to change without notice
© Copyright Siemens





last modified: 4/4/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens