SIEMENS

## Data sheet 3SU1900-0AT10-0AA0

Siemens EcoTech



Label holder, 22mm, flat, Frame rounded off at the bottom black, for labeling plate 27mm x 27mm, for snapping on

| | |
|---|---|
| **product brand name** | SIRIUS ACT |
| **product designation** | Label holder |
| **design of the product** | for labeling plate 27 x 27 mm |
| **product type designation** | 3SU1 |
| **General technical data** | |
| **protection class IP** | IP66, IP67, IP69(IP69K) |
| **degree of protection NEMA rating** | 1, 2, 3, 3R, 4, 4X, 12 |
| shock resistance for railway applications according to EN 61373 | Category 1, Class B |
| vibration resistance for railway applications according to EN 61373 | Category 1, Class B |
| **Substance Prohibitance (day/month/year)** | 10/01/2014 |
| **Net Weight** | 0.002 kg |
| **Ambient conditions** | |
| **ambient temperature** | |
| ● during operation | 70 ... -25 °C |
| ● during storage and transport | 80 ... -40 °C |
| **Installation/ mounting/ dimensions** | |
| **height** | 59.8 mm |
| **width** | 29.8 mm |
| **Accessories** | |
| **material of accessory** | Plastic |
| **shape of label holder** | rounded below |
| **color of label holder** | Black |
| **fastening method of label** | snap on |
| **Approvals Certificates** | |
| Environmental Product Declaration | |
| ● global warming potential [CO2 eq] / during manufacturing | 0.566 kg |
| ● global warming potential [CO2 eq] / during operation | 0.235 kg |
| ● global warming potential [CO2 eq] / after end of life | -0.0145 kg |
| ● global warming potential [CO2 eq] / total | 0.787 kg |

| **Environment** | **General Product Approval** |
|---|---|

Environmental Confirmations

Siemens EcoTech

EPD

cULus

EAC

CE EG-Konf.


Subject to change without notice
© Copyright Siemens


| General Product Approval | Test Certificates | Maritime application | | | |
|---|---|---|---|---|---|
| UKCA | Type Test Certificates/Test Report | BUREAU VERITAS | DNV | LRS | PRS |

| Maritime application | other |
|---|---|
| RINA | Confirmation |




## Further information

**Information on the packaging**
https://support.industry.siemens.com/cs/ww/en/view/109813875
**Information for data generation and storage**
https://support.industry.siemens.com/cs/ww/en/view/109995012
**Information- and Downloadcenter (Catalogs, Brochures,…)**
https://www.siemens.com/ic10
**Industry Mall (Online ordering system)**
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AT10-0AA0
**Cax online generator**
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AT10-0AA0
**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AT10-0AA0
**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AT10-0AA0&lang=en




**last modified:** 4/2/2025


Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens