SIEMENS

Data sheet 8GK9920-0KK10

ALPHA Universal, PE bar, W=600



Model	
product brand name	ALPHA
product designation	CU busbar
busbar design	others
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	250 A
Product details	
product feature flexible	No
Mechanical Design	
width	20 mm
length	600 mm
thickness of busbar	5 mm
Net Weight	530 g
material of the busbar	copper

Approvals Certificates

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EAC	Confirmation	CE EG-Konf.	UKCA

Test Certificates	other		
Special Test Certificate	Confirmation	Miscellaneous	产品合格 QC PASS

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9920-0KK10
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

Subject to change without notice
© Copyright Siemens

https://support.industry.siemens.com/cs/ww/en/ps/8GK9920-0KK10

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9920-0KK10

CAx-Online-Generator
https://www.siemens.com/cax

Tender specifications
https://www.siemens.com/specifications

Kennlinien
https://curves.simaris.siemens.com/curves/8GK9920-0KK10



last modified: 1/15/2026

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens