
SIEMENS

Data sheet 3UF7930-0AA00-0



Connecting cable Length 0.025 m, flat, for connection of basic unit with extension modules via the system interface

General technical data	
product brand name	SIMOCODE
product designation	connecting cable
design of the product	Length 0.025 m, flat
insulation voltage rated value	300 V
ambient temperature	
● during storage	-40 ... +80 °C
● during operation	-25 ... +60 °C
● during transport	-40 ... +80 °C

Certificates/ approvals

General Product Approval

CSA UL cULus EAC CE EG-Konf. UKCA

EMV	Test Certificates		Maritime application	
KC RCM	Type Test Certificates/Test Report	Special Test Certificate	ABS	DNV


Maritime application		other		Environment	Industrial Communication
Lloyd's Register LRS	PRS	Confirmation	产品合格 QC PASS	Environmental Confirmations	Profibus

Further information


Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7930-0AA00-0

Subject to change without notice
© Copyright Siemens


Cax online generator
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF7930-0AA00-0
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3UF7930-0AA00-0
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF7930-0AA00-0&lang=en



Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens