
AB-C4-M12MS-PB-TR

Article No.: 22260722

Terminating resistor; PROFIBUS DP; M 12; Plug; Shielded: No


Details

Benefits

- Cost efficient termination of a bus systems
- Space-saving due to compact dimensions
- Robust design

Application

- Mechanical and plant engineering

Notes

Unless specified otherwise, the product values shown are rated values at room temperature. You can receive further values, such as tolerances, upon request if they are available and have been released for publication.

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

If applicable, the prices are solid metal prices without surcharges and VAT. Sales only to business customers.

Remarks

© (2026) Lapp Group - all rights reserved.

Technical Data

General information

Product type	Terminating resistor
Weight	0.01 kg
Delivery Unit	5
valid fieldbus or Ethernet system	PROFIBUS DP
customs code	85369010

Electrical parameters

Product design

Shielded	No
Number of contacts	4
Status display	No
Connector housing design	Straight
Coded	Yes
With thread	Yes
Connector format	M 12
Connector type	Plug
Coding type	B-inverse
Connector housing angle	180 °
Housing base material	Thermoplastic polyurethane
Housing base material, short form	TPU
Contact material	Copper-tin
Contact material, short form	CuSn
Contact coating material, short form	Ni/Au

Product features

IP protection rating	IP 65 IP 67
Operating temperature min.	-25 °C
Operating temperature max.	90 °C

© (2026) Lapp Group - all rights reserved.

UV-resistant	No
Vibration protection	No

Certifications and standards

CE marking	No
EAC-certified	Not required
EAC certification number	Отказное письмо № 39
UL recognized	No
UL listed	No
cUR recognised	No
cUL listed	No
CSA certified	No
Product standard according to IEC	M12 according to IEC 61076-2-101

© (2026) Lapp Group - all rights reserved.

EPIC® DATA PB TR M12

Article No.	Name	Shielded
22260722	AB-C4-M12MS-PB-TR	No
22261001	AB-C5-M12FS-PB-TR-SH	Yes

© (2026) Lapp Group - all rights reserved.

V1.1

© (2026) Lapp Group - all rights reserved.