SIEMENS

Data sheet 3LD9250-0BA



Neutral conductor, leading switching, for Front mounting, Accessory for main and emergency stop switch 3LD2 for 63A and for molded case switch 3LD5 UL for 30A

Model	
product brand name	SENTRON
product designation	Neutral conductor
design of the product	accessories for 3LD2 main and EMERGENCY-OFF switches
Accessories	
accessories	leading switching for front mounting, up to 63 A,
AWG number as coded connectable conductor cross section	
● minimum	14
● maximum	6
type of connectable conductor cross-sections for main contacts	
● finely stranded with core end processing	1x (2.5...35 mm²)
● solid or stranded	1x (2.5 ... 16 mm²)
Mechanical Design	
Net Weight	75 g
Approvals Certificates	

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EPD	CSA	cULus	UL


General Product Approval				other	
EAC	Confirmation	CE EG-Konf.	UKCA	产品合格 QC PASS	Confirmation

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9250-0BA
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3LD9250-0BA

Subject to change without notice
© Copyright Siemens

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9250-0BA
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/3LD9250-0BA



last modified: 9/19/2026

© Copyright Siemens

Subject to change without notice
© Copyright Siemens