SIEMENS

Data sheet 3RW4900-0PB00

Sealable cover for SIRIUS soft starter 3RW40 Size S6 and S12



product brand name	SIRIUS
product category	Accessories
product designation	Sealing cover
product type designation	3RW49
General technical data	
Substance Prohibitance (day/month/year)	07/01/2006
Net Weight	0.014 kg
Installation/ mounting/ dimensions	
height	94 mm
width	98 mm
Electrical Safety	
protection class IP on the front according to IEC 60529	IP20
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front

Approvals Certificates

Environment	General Product Approval			EMV	
Environmental Confirmations	EAC	CE EG-Konf.	UKCA	KC	RCM

Test Certificates	Maritime application			other	
Special Test Certificate	DNV	LRS	PRS	Confirmation	产品合格 QC PASS

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW4900-0PB00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW4900-0PB00&lang=en
Cax online generator

Subject to change without notice
© Copyright Siemens

https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW4900-0PB00

Kennlinien

https://curves.simaris.siemens.com/curves/3RW4900-0PB00

Characteristic: Tripping characteristics, I²t, Let-through current


https://support.industry.siemens.com/cs/ww/en/ps/3RW4900-0PB00/char

Characteristic: Installation altitude

https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search

Simulation Tool for Soft Starters (STS)

https://support.industry.siemens.com/cs/ww/en/view/101494917



last modified: 4/2/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens