SIEMENS

Data sheet 3VL9440-6SB30



ETU VL400, 3-pole, line protection ETU10, LI IR=160...400A, overload protection, II=1.25 to 11xIN, short-circuit protection screw terminal connections in scope of delivery of switching unit spare part product only for replacement purposes

Model	
product brand name	SENTRON
product designation	Overcurrent release
Accessories	
accessories	Accessory for VL400
Mechanical Design	
Net Weight	1.501 kg

Approvals Certificates

Environment		General Product Approval			Test Certificates
Environmental Confirmations	Environmental Confirmations	EAC	Confirmation	UKCA	Special Test Certificate

other			Dangerous goods
Confirmation	产品合格 QC PASS	Miscellaneous	Transport Information

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VL9440-6SB30
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VL9440-6SB30
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VL9440-6SB30
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/3VL9440-6SB30

Subject to change without notice
© Copyright Siemens

last modified: 5/25/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens