SIEMENS

Data sheet 5ST3060



rotary operating mechanism complete black IP65 for 5SY, 5SP4, 5SL, 5TL1, 5TE2 and 5SU1 from 2 modular widths

Model	
product brand name	SENTRON
product designation	Rotary operators
design of the product	accessories for low-voltage controls
protection class IP on the front	IP65
suitability for use switch disconnector	No
suitability for use circuit breaker	Yes
suitability for use EMERGENCY OFF switch	No
color	black
● of the actuating element	black
product feature can be locked in ON position	No
● **Product component with axis**	No
● product component restart inhibit function block	No
● product component padlock locking mechanism	No
● product component key lock	No
special product feature	lockable with 3 locks in 0 position
product feature can be locked into OFF position	Yes
number of bracket locks maximum	3
hasp thickness of the bracket locks	7 mm
Net Weight	305 g

Approvals Certificates

Environment		General Product Approval			other
Environmental Confirmations	Environmental Confirmations	Miscellaneous	EAC	Confirmation	产品合格 QC PASS

other


Confirmation

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875

Subject to change without notice
© Copyright Siemens

Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3060
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3060
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3060
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/5ST3060



last modified: 2/12/2026

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens