SIEMENS

Data sheet 5ST3770-2

Pin busbar, 10 mm2 56 MW, 4-phase, can be cut for LS 2P and RCBO 1P+N touch-safe without end caps



product brand name	SENTRON
product designation	Pin busbar
design of the product	28x (1PH+N)
design of the phase tap	L1/N/L2/N/L3/N
General technical data	
compatibility	for RCBO or MCB 1P+N
design of pole	3P+N
phase number	4
operational current rated value	63 A
suitability for interaction devices with auxiliary switch	No
suitability for interaction devices with N conductor	Yes
suitability for use	RCCB 2P N right
color	light grey
Product details	
product component with end cap	No
product feature attachable arc fault detection device	No
product feature insulated	Yes
product function	
● suitable for compact devices	No
● can be cut	Yes
number of devices suitable for fitting	28
type of electrical connection	Pin
Mechanical Design	
module width	18 mm
height	17 mm
width	20 mm
length	1 000 mm
number of modular width units	56
cross-section	10 mm²
angle of the pin of busbar	0°
Net Weight	578 g
Approvals Certificates	

Environment		General Product Approval		
Environmental Confirmations	Environmental Confirmations	Miscellaneous	EAC	Confirmation

CE EG-Konf.

Subject to change without notice
© Copyright Siemens


General Product Approval	other


Confirmation

Miscellaneous

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3770-2
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5ST3770-2
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3770-2
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/5ST3770-2





last modified: 1/15/2026

© Copyright Siemens

Subject to change without notice
© Copyright Siemens