SIEMENS

Data sheet 3VA9254-0JA11

box terminal; 4 units accessory for: 3VA12



Model	
product brand name	SENTRON
product designation	box terminal 4 units
design of the product	Connection method
accessories	Box terminal
General technical data	
designation / of the terminal	TS1.2
type of electrical connection / with control wire tap	No
Mechanical Design	
Net Weight	210 g
Connections according IEC	
connectable conductor cross-section	
● for copper cable / stranded / minimum	6 mm²
● for copper cable / stranded / maximum	120 mm²
type of connectable conductor cross-sections / of the laminated conductor rails	
● minimum	3 x 13mm x 0.5mm, 2 x 15.5mm x 0.8mm, 2 x 20mm x 1mm
● maximum	6 x 13mm x 0.5mm, 6 x 15.5mm x 0.8mm, 6 x 20mm x 1mm
stripped length	19 mm
tightening torque / when using copper cables	
● solid	6 - 16 mm²: 6 Nm
● stranded	6 - 25 mm²: 6 Nm; 35 - 120 mm²: 10 Nm
● finely stranded	10 - 25 mm²: 6 Nm 35 - 95 mm²: 10Nm
● finely stranded / with core end processing	10 - 25 mm²: 6 Nm, 35 - 95 mm²: 10Nm
Connetctions according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	0.75 in
connectable conductor cross-section	
● for copper cable / solid / minimum	10 AWG
● for copper cable / solid / maximum	10 AWG
● for copper cable / stranded / minimum	10 AWG
● for copper cable / stranded / maximum	3/0 AWG
tightening torque / when using copper cables	
● solid	10 AWG : 105 lb-in
● stranded	10 - 4 AWG: 105 lb-in, 3 - 3/0 AWG: 140 lb-in
Certificates	
General Product Approval	**EMV**

Subject to change without notice
© Copyright Siemens

Miscellaneous

Confirmation


Test Certificates	Maritime application	other		Environment	
Type Test Certificates/Test Report		Miscellaneous	Confirmation	Environmental Confirmations	Environmental Confirmations

Environment

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9254-0JA11
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9254-0JA11
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9254-0JA11
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens



last modified: 4/6/2026

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens