SIEMENS

Data sheet 8WH1000-0AM00



Terminal, screw terminal, through-type terminal, 35 mm², gray

Model	
product brand name	SENTRON
product designation	Terminal blocks
design of the product	through-type terminal
product version	through-type terminal, for mounting on mounting rail acc. to IEC 60715
design of terminal terminal levels internally linked	No
General technical data	
terminal contact spacing	16 mm
operating voltage rated value	1 000 V
Protection class	
combustibility class according to UL 94	V0
Main circuit	
operational current rated value	125 A
Appearance	
color	grey
Product details	
product component required end cover plate	No
Number	
number of terminal levels	1
number of terminal points per terminal level	2
Connections	
connectable conductor cross-section solid	
● minimum	1.5 mm²
● maximum	50 mm²
connectable conductor cross-section stranded	
● minimum	16 mm²
● maximum	1.5 mm²
connectable conductor cross-section finely stranded	
● with core end processing minimum	1.5 mm²
● with core end processing maximum	35 mm²
● without core end processing minimum	1.5 mm²
● without core end processing maximum	50 mm²
tightening torque with screw-type terminals	
● minimum	3.2 N·m
● maximum	4 N·m
type of connection 1	screw-type terminal
type of connection 2	screw-type terminal
position of the terminal	lateral

Subject to change without notice
© Copyright Siemens

Mechanical Design	
height	63.2 mm
height with lowest-profile installation	65.7 mm
depth	65 mm
length	60 mm
fastening method	TH35 DIN rail
Net Weight	60 g
material of the insulating body	PA
Environmental conditions	
ambient temperature during operation	
• minimum	-60 °C
• maximum	105 °C

Approvals Certificates


Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations				Confirmation


General Product Approval	other		
	Confirmation	Miscellaneous	

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH1000-0AM00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8WH1000-0AM00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH1000-0AM00
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/8WH1000-0AM00

Subject to change without notice
© Copyright Siemens





last modified: 5/9/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens